

# CONSOLIDATED CHECKLIST C6

## Part 3 of 5 parts

### Interim Status Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities 40 CFR Part 265, Subparts K-R, as of June 30, 1996 as published in the July 1, 1996 CFR

#### Notes:

1) Consolidated Checklist C6 is divided into five separate documents/computer files solely for ease of handling its printed and electronic versions. Consolidated Checklist C6 remains one checklist; States must adopt all five portions simultaneously to correctly use this Consolidated Checklist. Note, the prenotes and endnotes associated with each part have been placed with the part to which they apply.

2) Section 265.231 of Subpart K was added by the December 6, 1994, final rule published at 59 FR 62896-62953. Its applicable provisions are included in Revision Checklist 154 which is a consolidation of all the rules associated with the organic air emission standards for tanks, surface impoundments, and container requirements (Subpart CC). EPA strongly recommends States wait to adopt Revision Checklist 154 in its entirety (including all rules published through November 25, 1996) rather than adopting the December 6, 1994, final rule as represented on this consolidated checklist. The December 6, 1994, rule is designated as rule 154.1.

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE

#### SUBPART K - SURFACE IMPOUNDMENTS

##### APPLICABILITY

surface impoundments used to treat, store, or dispose of hazardous waste	*	265.220					
--	---	---------	--	--	--	--	--

##### DESIGN REQUIREMENTS

1 surface impoundment units that must install two or more liners and a leachate collection and removal system between such liners and operate leachate collection and removal systems in accordance with 264.221(c), "construction commences" defined under "existing facility"	17 H,100	265.221(a)					
---	----------	------------	--	--	--	--	--

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
notify Regional Administrator; Part B application	17 H	265.221(b)					
†,2 when a replacement surface impoundment unit is exempt from 265.221(a):	17 H,100	265.221(c)					
constructed in compliance with RCRA 3004(o)(1)(A)(i) and (o)(5) design standards	100	265.221(c)(1)					
no reason to believe liner is not functioning as designed	100	265.221(c)(2)					
†,3 Waiver From Double Liner Requirements							
conditions for waiving 265.221(a)	17 H	265.221(d)					
	17 H,74	265.221(d)(1)					
		265.221(d)(2)(i)(A)					
		265.221(d)(2)(i)(B)					
		265.221(d)(2)(i)(C)					
	17 H	265.221(d)(2)(ii)					
† first permit must honor liner system installed pursuant to 265.221(a), except if leaking	17 H	265.221(e)					
4 60 cm of freeboard required	IV B,†15, 100	265.221(f)					
†,4 condition for variance from 60 cm of freeboard	15,100	265.221(g)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
surface impoundments newly subject to RCRA §3005(j)(1) must be in compliance with 265.221(a),(c)&(d) no later than 48 months after additional characteristic or listing promulgation; Part 268 land disposal prohibitions or an extension to an effective date, within the 48-month period, shall not cut short compliance period	109	265.221(h)					

4 ACTION LEAKAGE RATE

proposed action leakage rate to Regional Administrator when submitting 265.221(b) notice; within 60 days of receipt, Regional Administrator will establish action leakage rate or extend review period; when the proposed rate will be approved	100	265.222(a)					
Regional Administrator approval of action leakage rate for 265.221(a) units; definition of action leakage rate; adequate safety margin	100	265.222(b)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
how to determine if action leakage rate has been exceeded; unless another calculation approved, average daily flow rate calculated weekly during active life and closure period, and monthly during post-closure care period	100	265.222(c)					
5 CONTAINMENT SYSTEM							
protective cover required for earthen dikes	IV B	265.223					
5 RESPONSE ACTIONS							
if unit subject to 265.221(a), then must submit a response action plan to the Regional Administrator when submitting 265.222 proposed action leakage rate; must set forth actions to be taken if action leakage rate is exceeded; content as specified in 265.223(b)	100	265.223(a)					
responsibilities if flow rate into leak detection system exceeds the action leakage rate for any sump:	100	265.223(b)					
notify Regional Administrator in writing within seven days of determination	100	265.223(b)(1)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
preliminary assessment to Regional Administrator within 14 days of determination; what assessment must address	100	265.223(b)(2)					
determine location, size and cause of any leak	100	265.223(b)(3)					
determine 1) whether waste receipt should cease or be curtailed, 2) whether waste should be removed for inspection, repairs, or controls, and 3) whether unit should be closed	100	265.223(b)(4)					
determine short- and longer-term actions to mitigate or stop any leaks	100	265.223(b)(5)					
within 30 days after Regional Administrator notification, submit the results of 265.223(b)(3)- (5) analyses, the results of actions taken, and actions planned; thereafter, as long as flow rate exceeds action leakage rate, monthly report to Regional Administrator summarizing results of remedial actions taken and actions planned	100	265.223(b)(6)					
how the 265.223(b)(3)- (5) determinations must be made:	100	265.223(c)					
assess the source of liquids and amounts by source	100	265.223(c)(1)(i)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
conduct analyses of liquids in leak detection system to identify sources of liquids and location of leaks, and the hazard and mobility of the liquid	100	265.223(c)(1)(ii)					
assess seriousness of leaks	100	265.223(c)(1)(iii)					
document why assessments not needed	100	265.223(c)(2)					
reserved		265.224					

WASTE ANALYSIS AND TRIAL TESTS

waste analyses in addition to 265.13 and the circumstances requiring them	IV B	265.225(a)					
		265.225(a)(1)					
		265.225(a)(2)					
		265.225(a)(2)(i)					
		265.225(a)(2)(ii)					

6 MONITORING AND INSPECTION

daily and weekly inspection requirements	IV B	265.226(a)					
		265.226(a)(1)					
		265.226(a)(2)					
if leak detection system required under 265.221(a), record amount of liquid removed from each sump, at least weekly during active life and closure period	100	265.226(b)(1)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
after final cover installed, record amount of liquids at least monthly; when quarterly and semi-annual recording allowed; when monthly recording must resume	100	265.226(b)(2)					
"pump operating level" defined	100	265.226(b)(3)					
reserved		265.227					
CLOSURE AND POST-CLOSURE CARE							
closure requirements	IV B,36	265.228(a)					
		265.228(a)(1)					
		265.228(a)(2)					
		265.228(a)(2)(i)					
		265.228(a)(2)(ii)					
		265.228(a)(2)(iii)					
		265.228(a)(2)(iii)(A)					
		265.228(a)(2)(iii)(B)					
		265.228(a)(2)(iii)(C)					
		265.228(a)(2)(iii)(D)					
		265.228(a)(2)(iii)(E)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
7		265.228(b)					
	IV B,36	265.228(b)(1)					
	100	265.228(b)(2)					
	IV B,36,	265.228(b)(3)					
	100	265.228(b)(4)					
post-closure requirements							
removed	IV B,36	265.228(c)					
SPECIAL REQUIREMENTS FOR IGNITABLE OR REACTIVE WASTE							
conditions for placement in a surface impoundment	*,†15,78	265.229					
waste treatment to specific criteria prior to placement	IV B,†15	265.229(a)					
		265.229(a)(1)					
		265.229(a)(2)					
8	IV B,†15	265.229(b)(1)					
		265.229(b)(2)					
		265.229(b)(3)					
waste management to prevent reaction or ignition							
emergency placement	IV B,†15	265.229(c)					
SPECIAL REQUIREMENTS FOR INCOMPATIBLE WASTES							
prohibited co-disposal of incompatible wastes or materials unless compliance with 265.17(b)	IV B	265.230					
AIR EMISSION STANDARDS							
9 owner or operator shall manage all hazardous waste placed in a surface impoundment in accordance with the requirements of subpart CC of this part	154.1	265.231					
SUBPART L - WASTE PILES							



CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
APPLICABILITY							
storage or treatment facilities using waste piles; alternative management under 265, Subpart N	IV B	265.250					
PROTECTION FROM WIND							
wind dispersal control	IV B	265.251					
WASTE ANALYSIS							
additional analyses	IV B	265.252					
CONTAINMENT							
to control leachate or run-off	IV B	265.253					
place pile on impermeable base with run-on and run-off management	IV B	265.253(a)(1)					
		265.253(a)(2)					
		265.253(a)(3)					
		265.253(a)(4)					
protect pile from precipitation and liquids	IV B	265.253(b)(1)					
		265.253(b)(2)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE

## 10 DESIGN AND OPERATING REQUIREMENTS

waste piles which must install two or more liners and a leachate collection and removal system in accordance with 264.251(c) unless exempt under 264.251(d), (e) or (f); compliance with 265.221(b) procedures; "construction commences" defined under "existing facility"	17 H,100	265.254					
--	----------	---------	--	--	--	--	--

## ACTION LEAKAGE RATES

proposed action leakage rate to Regional Administrator when submitting 265.254 notice; within 60 days of receipt, Regional Administrator will establish action leakage rate or extend review period; when the proposed rate will be approved	IV B	265.255(a)					
--	------	------------	--	--	--	--	--

11	Regional Administrator approval of action leakage rate for 265.254 units; definition of action leakage rate; adequate safety margin	100	265.255(b)				
	how to determine if action leakage rate has been exceeded; unless another calculation approved, average daily flow rate calculated weekly during active life and closure period	100	265.255(c)				

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
<b>SPECIAL REQUIREMENTS FOR IGNITABLE OR REACTIVE WASTE</b>							
conditions for placement of ignitable or reactive waste in waste piles	IV B,78	265.256(a)					
		265.256(a)(1)					
	IV B	265.256(a)(2)					
<b>SPECIAL REQUIREMENTS FOR INCOMPATIBLE WASTES</b>							
placement in same pile prohibited unless 265.17(b) is complied with	IV B	265.257(a)					
waste separation or protection	IV B	265.257(b)					
base decontamination	IV B	265.257(c)					
<b>CLOSURE AND POST-CLOSURE CARE</b>							
closure requirements	IV B	265.258(a)					
post-closure care if not all contaminated subsoils can be practically removed	IV B	265.258(b)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
RESPONSE ACTIONS							
if unit subject to 265.254, then must submit a response action plan to the Regional Administrator when submitting 265.255 proposed action leakage rate; must set forth actions to be taken if action leakage rate is exceeded; content as specified in 265.259(b)	100	265.259(a)					
responsibilities if flow rate into leak detection system exceeds the action leakage rate for any sump:	100	265.259(b)					
notify Regional Administrator in writing within seven days of determination	100	265.259(b)(1)					
preliminary assessment to Regional Administrator within 14 days of determination; what assessment must address	100	265.259(b)(2)					
determine location, size and cause of any leak	100	265.259(b)(3)					
determine 1) whether waste receipt should cease or be curtailed, 2) whether waste should be removed for inspection, repairs, or controls, and 3) whether unit should be closed	100	265.259(b)(4)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
determine short- and longer-term actions to mitigate or stop any leaks	100	265.259(b)(5)					
within 30 days after Regional Administrator notification, submit the results of 265.259(b)(3)-(5) analyses, the results of actions taken and actions planned thereafter, as long as flow rate exceeds action leakage rate, monthly report to Regional Administrator summarizing results of remedial actions taken and actions planned	100	265.259(b)(6)					
how the 265.259(b)(3),(4) & (5) determinations must be made:	100	265.259(c)					
assess the source of liquids and amounts by source	100	265.259(c)(1)(i)					
conduct analyses of liquids in leak detection system to identify sources of liquids and location of leaks, and the hazard and mobility of the liquid	100	265.259(c)(1)(ii)					
assess seriousness of leaks	100	265.259(c)(1)(iii)					
document why assessments not needed	100	265.259(c)(2)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
MONITORING AND INSPECTION							
if leak detection system required under 265.254, record amount of liquids removed from each sump, at least weekly during active life and closure period	100	265.260					
SUBPART M - LAND TREATMENT							
APPLICABILITY							
facilities that treat or dispose of hazardous waste in land treatment units	*	265.270					
reserved		265.271					
GENERAL OPERATING REQUIREMENTS							
conditions for land treatment	IV B,†15	265.272(a)					
run-on control	IV B	265.272(b)					
run-off control	IV B	265.272(c)					
maintenance of collection capacity	IV B	265.272(d)					
wind dispersal control	IV B	265.272(e)					
WASTE ANALYSIS							
additional analyses	*	265.273					
Toxicity Characteristic	IV B,74	265.273(a)					
listed wastes	IV B	265.273(b)					
heavy metals	IV B	265.273(c)					
reserved		265.274 & 265.275					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
FOOD-CHAIN CROPS							
notification if grow food chain crops	IV B	265.276(a)					
prohibition against food chain crops, unless demonstration for 265.273(b) waste constituents	IV B	265.276(b)(1)					
		265.276(b)(1)(i)					
		265.276(b)(1)(ii)					
demonstration information must be kept at facility; what it must be based on; what it must include	IV B	265.276(b)(2)					
		265.276(b)(2)(i)					
		265.276(b)(2)(ii)					
additional requirements for land treatment facility receiving waste with cadmium	IV B	265.276(c)					
requirements if crops are in human food chain	IV B	265.276(c)(1)(i)					
		265.276(c)(1)(ii)					
		265.276(c)(1)(iii)					
		265.276(c)(1)(iii)(A)					
		265.276(c)(1)(iii)(B)					
requirements if crops will be used as animal feed	IV B	265.276(c)(2)(i)					
		265.276(c)(2)(ii)					
		265.276(c)(2)(iii)					
		265.276(c)(2)(iv)					
reserved		265.277					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
<b>UNSATURATED ZONE (ZONE OF AERATION) MONITORING</b>							
written unsaturated zone monitoring plan required and implemented; what plan must be designed to do	IV B	265.278(a)					
		265.278(a)(1)					
		265.278(a)(2)					
what unsaturated zone monitoring must at a minimum include	IV B	265.278(b)					
		265.278(b)(1)					
		265.278(b)(2)					
demonstration required to comply with 265.278(a)(1)	IV B	265.278(c)					
		265.278(c)(1)					
		265.278(c)(2)					
		265.278(c)(2)(i)					
		265.278(c)(2)(ii)					
		265.278(c)(3)					
retention of plan; rationale	IV B	265.278(d)					
soil and soil-pore water analysis	IV B	265.278(e)					
<b>RECORDKEEPING</b>							
operating record to include waste application dates and rates	IV B	265.279					
<b>CLOSURE AND POST-CLOSURE</b>							
objectives which must be addressed in closure and post-closure plans	IV B	265.280(a)					
		265.280(a)(1)					
		265.280(a)(2)					
		265.280(a)(3)					
		265.280(a)(4)					



CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
factors needed to meet the closure and post-closure care objectives of 265.280(a)	IV B	265.280(b)					
		265.280(b)(1)					
		265.280(b)(2)					
		265.280(b)(3)					
		265.280(b)(4)					
		265.280(b)(5)					
		265.280(b)(6)					
		265.280(b)(7)					
methods to address closure/post-closure plan objectives	IV B	265.280(c)					
		265.280(c)(1)					
		265.280(c)(2)					
		265.280(c)(2)(i)					
		265.280(c)(2)(ii)					
		265.280(c)(3)					
closure requirements in addition to Subpart G requirements	IV B	265.280(d)					
		265.280(d)(1)					
		265.280(d)(2)					
		265.280(d)(3)					
		265.280(d)(4)					
certification that facility has been closed in accordance with specifications of approved plan	IV B	265.280(e)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
requirements in addition to 265.117 requirements	IV B	265.280(f)					
		265.280(f)(1)					
		265.280(f)(2)					
		265.280(f)(3)					
		265.280(f)(4)					

**SPECIAL REQUIREMENTS FOR IGNITABLE OR REACTIVE WASTE**

conditions for applying ignitable or reactive wastes to treatment zone	*,78	265.281					
immediate incorporation of waste into soil	IV B	265.281(a)					
		265.281(a)(1)					
		265.281(a)(2)					
protective management so no reaction or ignition	IV B	265.281(b)					

**SPECIAL REQUIREMENTS FOR INCOMPATIBLE WASTES**

conditions for disposal of incompatible wastes or materials	IV B	265.282					
---	------	---------	--	--	--	--	--

**SUBPART N - LANDFILLS**

**APPLICABILITY**

apply to hazardous waste disposal facilities using landfills	IV B	265.300					
--	------	---------	--	--	--	--	--

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
DESIGN AND OPERATING REQUIREMENTS							
landfills which must install two or more liners and a leachate collection and removal system above and between such liners, and operate in accordance with 264.301(d), (e) or (f); "construction commences" defined under "existing facility"	17 H,100	265.301(a)					
notify Regional Administrator	17 H	265.301(b)					
when a landfill owner/operator is exempt from 265.301(a)	17 H,100	265.301(c)					
meets RCRA 3004(o)(1)(A)(i) and (o)(5) design standards	100	265.301(c)(1)					
no reason to believe liner is not functioning as designed	100	265.301(c)(2)					
Waiver From Double Liner Requirements							
	17 H	265.301(d)					
	17 H,108	265.301(d)(1)					
		265.301(d)(2)(i)(A)					
		265.301(d)(2)(i)(B)					
		265.301(d)(2)(i)(C)					
	waiver for monofills	17 H	265.301(d)(2)(ii)				

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
† liner systems installed pursuant to 265.301(a) will be honored, unless leaking	17 H	265.301(e)					
15 run-on control	IV B,100	265.301(f)					
15 run-off control	IV B,100	265.301(g)					
15 collection and holding facilities	IV B,100	265.301(h)					
15 wind dispersal control	IV B,100	265.301(i)					
15 ACTION LEAKAGE RATE							
proposed action leakage rate to Regional Administrator when submitting 265.301(b) notice; within 60 days of receipt Regional Administrator will establish action leakage rate or extend the review period; when the proposed rate will be approved	100	265.302(a)					
16 Regional Administrator approval of action leakage rate for units subject to 265.301(a); definition of action leakage rate; adequate safety margin	100	265.302(b)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
how to determine if action leakage rate has been exceeded; unless another calculation approved, average daily flow rate calculated weekly during active life and closure period, and monthly during post-closure care period	100	265.302(c)					
<b>RESPONSE ACTIONS</b>							
if unit subject to 265.301(a), then must submit a response action plan to the Regional Administrator when submitting 265.302 proposed action leakage rate; must set forth actions to be taken if action leakage rate is exceeded; content as specified in 265.303(b)	100	265.303(a)					
responsibilities if flow rate into leak detection system exceeds the action leakage rate for any sump:	100	265.303(b)					
notify Regional Administrator in writing within seven days of determination	100	265.303(b)(1)					
preliminary assessment to Regional Administrator within 14 days of determination; what assessment must address	100	265.303(b)(2)					
determine location, size and cause of any leak	100	265.303(b)(3)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
determine 1) whether waste receipt should cease or be curtailed, 2) whether waste should be removed for inspection, repairs, or controls, and 3) whether unit should be closed	100	265.303(b)(4)					
determine short- and longer-term actions to mitigate or stop any leaks	100	265.303(b)(5)					
within 30 days after Regional Administrator notification, submit the results of 265.303(b)(3)-(5) analyses, the results of actions taken and actions planned; thereafter, as long as flow rate exceeds action leakage rate, monthly report to Regional Administrator summarizing results of remedial actions taken and actions planned	100	265.303(b)(6)					
how the 265.303(b)(3)-(5) determinations must be made:	100	265.303(c)					
assess the source of liquids and amounts by source	100	265.303(c)(1)(i)					
conduct analyses of liquids in leak detection system to identify sources of liquids and location of leaks, and the hazard and mobility of the liquid	100	265.303(c)(1)(ii)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
assess seriousness of leaks	100	265.303(c)(1)(iii)					
document why assessments not needed	100	265.303(c)(2)					

**MONITORING AND INSPECTION**

if leak detection system required under 265.301(a), record amount of liquids removed from each sump, at least weekly during active life and closure period	100	265.304(a)					
after final cover installed, record amount of liquid at least monthly; when quarterly and semiannual recording allowed; when monthly recording must resume	100	265.304(b)					
definition of "pump operating level"	100	265.304(c)					
reserved		265.305-265.308					

**SURVEYING AND RECORDKEEPING**

items which must be in operating record	*	265.309					
location and dimensions of landfill to be shown on maps	IV B	265.309(a)					
contents of each cell and location of each hazardous waste type in each cell	IV B	265.309(b)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
CLOSURE AND POST-CLOSURE CARE							
cover requirements at final closure	IV B,15	265.310(a)					
		265.310(a)(1)					
		265.310(a)(2)					
		265.310(a)(3)					
		265.310(a)(4)					
		265.310(a)(5)					
post-closure requirements	IV B,15	265.310(b)					
final cover requirements	IV B,15	265.310(b)(1)					
maintain and monitor the leak detection system in accordance with 264.301(c)(3)(iv) & (4), and 265.304(b); comply with other applicable Part 265 leak detection system requirements	100	265.310(b)(2)					
ground-water monitoring system requirements	IV B,15, 100	265.310(b)(3)					
run-on and run-off control requirements	IV B,15, 100	265.310(b)(4)					
protect and maintain surveyed benchmarks	IV B,15, 100	265.310(b)(5)					
removed	IV B,15	265.310(c)					
		265.310(d)					
reserved		265.311					



CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
SPECIAL REQUIREMENTS FOR IGNITABLE OR REACTIVE WASTE							
placement prohibited unless waste and landfill meet Part 268 requirements and waste is no longer ignitable or reactive and 265.17(b) is complied with	IV B,78	265.312(a)					
	IV B	265.312(a)(1)					
		265.312(a)(2)					
containerized wastes	IV B,78	265.312(b)					
SPECIAL REQUIREMENTS FOR INCOMPATIBLE WASTES							
conditions for disposal in landfill	IV B	265.313					
SPECIAL REQUIREMENTS FOR BULK AND CONTAINERIZED LIQUIDS							
bulk liquid disposal prior to May 8, 1985 only if:	IV B,17 F	265.314(a)					
liner and leachate system requirements	IV B	265.314(a)(1)					
liquids must be stabilized	IV B,118	265.314(a)(2)					
May 8, 1985 free liquids ban	17 F,118	265.314(b)					
conditions for placement of containers holding free liquids in a landfill	IV B, †17 F	265.314(c)					
		265.314(c)(1)					
		265.314(c)(1)(i)					
	IV B, †17 F,118	265.314(c)(1)(ii)					
	IV B, †17 F	265.314(c)(1)(iii)					
		265.314(c)(2)					
		265.314(c)(3)					
		265.314(c)(4)					
paint filter test	16,†17 F, 25,126	265.314(d)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

	FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
					EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
19	compliance date	IV B, †17 F	265.314(e)					
21	sorbents used to treat free liquids disposed in landfills must be nonbiodegradable; definition of nonbiodegradable sorbents	118	265.314(f)					
21,22	nonbiodegradable sorbents	118	265.314(f)(1)					
			265.314(f)(1)(i)					
			265.314(f)(1)(ii)					
			265.314(f)(1)(iii)					
21	tests for nonbiodegradable sorbents	118	265.314(f)(2)					
	ASTM Method G21-70 (1984a)	118	265.314(f)(2)(i)					
	ASTM Method G22-76 (1984b)	118,†145	265.314(f)(2)(ii)					
†	OECD test 301B	145	265.314(f)(2)(iii)					
21	nonhazardous liquids ban effective November 8, 1985; what must be demonstrated to Regional Administrator for exemption	17 F,118	265.314(g)					
†,21	only reasonable available alternative	17 F,118	265.314(g)(1)					
†,21	not a risk of contaminating underground source of drinking water	17 F,118	265.314(g)(2)					
23	SPECIAL REQUIREMENTS FOR CONTAINERS							

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
requirements if containers not very small	15	265.315					
at least 90% full	IV B,15	265.315(a)					
crushed, shredded or reduced in volume before burial	IV B,15	265.315(b)					

DISPOSAL OF SMALL CONTAINERS OF HAZARDOUS WASTE IN OVERPACKED DRUMS (LAB PACKS)

conditions for placement of overpacked drums in landfills	*	265.316					
inside container requirements including DOT requirements	IV B	265.316(a)					
overpacking--DOT requirements; outer container	IV B,118	265.316(b)					
24 absorbent material	IV B,118	265.316(c)					
incompatible wastes	IV B	265.316(d)					
reactive wastes	IV B	265.316(e)					
†,25 disposal in compliance with Part 268; fiber drums allowed for incineration of lab packs	78	265.316(f)					

SUBPART O - INCINERATORS

APPLICABILITY

regulations apply to owners and operators of hazardous waste incinerators (as defined in 260.10), except as 265.1 provides otherwise)	IV B,13, 19,85	265.340(a)					
		265.340(b)					

exemptions IV B

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
		265.340(b)(1)					
		265.340(b)(2)					
		265.340(b)(3)					
		265.340(b)(4)					
<b>WASTE ANALYSIS</b>							
analyze wastes not previously burned	*	265.341					
factors which at a minimum must be analyzed	IV B	265.341(a)					
		265.341(b)					
		265.341(c)					
reserved		265.342-265.344					
<b>GENERAL OPERATING REQUIREMENTS</b>							
during start-up and shut-down, limit waste feed to steady state	IV B	265.345					
reserved		265.346					
<b>MONITORING AND INSPECTIONS</b>							
monitoring and inspection requirement	*	265.347					
15-minute monitoring of combustion and emission control instruments; appropriate corrections	IV B	265.347(a)					
daily inspection of incinerator and associated equipment	IV B	265.347(b)					
reserved		265.348-265.350					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:				
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE	
<b>CLOSURE</b>								
remove all hazardous wastes and residues	IV B	265.351						
<b>INTERIM STATUS INCINERATORS BURNING PARTICULAR HAZARDOUS WASTES</b>								
certification to burn dioxins	14	265.352(a)						
certification standards and procedures	14	265.352(b)						
		265.352(b)(1)						
		265.352(b)(2)						
		265.352(b)(3)						
<b>SUBPART P - THERMAL TREATMENT</b>								
<b>OTHER THERMAL TREATMENT</b>								
treatment in other than enclosed devices using controlled flame combustion; which subparts the unit is subject to	IV B,13, 94	265.370						
reserved		265.371-265.372						
<b>GENERAL OPERATING REQUIREMENTS</b>								
waste feed limited to steady state conditions of operation, unless process is non-continuous	IV B	265.373						
reserved		265.374						
<b>WASTE ANALYSIS</b>								
analyze wastes not previously treated to establish steady state or other appropriate operating conditions	*	265.375						

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
factors which at a minimum must be analyzed	IV B	265.375(a)					
		265.375(b)					
		265.375(c)					
reserved		265.376					
MONITORING AND INSPECTIONS							
items requiring monitoring and inspections	IV B	265.377(a)					
		265.377(a)(1)					
		265.377(a)(2)					
		265.377(a)(3)					
reserved		265.378-265.380					
CLOSURE							
remove all hazardous waste and residues	IV B	265.381					
OPEN BURNING; WASTE EXPLOSIVES							
prohibition on open burning of hazardous wastes except for open burning and detonation of waste explosives; definitions	IV B	265.382					
INTERIM STATUS THERMAL TREATMENT DEVICES BURNING PARTICULAR HAZARDOUS WASTE							
certification to burn dioxins	14	265.383(a)					
certification standards and procedures	14	265.383(b)					
		265.383(b)(1)					
		265.383(b)(2)					
		265.383(b)(3)					

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:						
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE			
<b>SUBPART Q - CHEMICAL, PHYSICAL, AND BIOLOGICAL TREATMENT</b>										
<b>APPLICABILITY</b>										
applies to owners/ operators of facilities which treat by chemical, physical, or biological methods in other than tanks, surface impoundments and land treatment facilities, except as 265.1 provides otherwise	IV B	265.400								
<b>GENERAL OPERATING REQUIREMENTS</b>										
comply with 265.17(b)	IV B	265.401(a)								
placement of wastes	IV B	265.401(b)								
cut-off for continuous feed	IV B	265.401(c)								
<b>WASTE ANALYSIS AND TRIAL TESTS</b>										
requirements in addition to 265.13	IV B	265.402(a)								
		265.402(a)(1)								
		265.402(a)(2)								
		265.402(a)(2)(i)								
		265.402(a)(2)(ii)								
<b>INSPECTIONS</b>										
items to be inspected and frequency of inspection	IV B	265.403(a)								
		265.403(a)(1)								
		265.403(a)(2)								
		265.403(a)(3)								
		265.403(a)(4)								

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV- ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
CLOSURE							
remove all hazardous wastes and residues	IV B	265.404					
SPECIAL REQUIREMENTS FOR IGNITABLE OR REACTIVE WASTE							
ignitable or reactive waste must not be placed in treatment process or equipment unless certain conditions are met	IV B	265.405(a)					
		265.405(a)(1)					
		265.405(a)(2)					
SPECIAL REQUIREMENTS FOR INCOMPATIBLE WASTES							
no treatment of incompatible wastes unless 265.17(b) compliance	IV B	265.406(a)					
no hazardous waste placed in unwashed treatment equipment unless 265.17(b) compliance	IV B	265.406(b)					
SUBPART R - UNDERGROUND INJECTION							
APPLICABILITY							
except as 265.1 provides otherwise:	*	265.430					
owner/operator exclusion	IV B	265.430(a)					
Class I and Class IV wells	IV B	265.430(b)					

- <sup>1</sup> Paragraph 265.221(a) was originally introduced by Revision Checklist 17H and was completely revised by Revision Checklist 100.
- <sup>2</sup> Paragraph 265.221(c) was originally introduced by Revision Checklist 17H. It was revised and restructured to include subparagraphs (c)(1)&(2) by Revision Checklist 100.
- <sup>3</sup> Citations within the double lines are optional, but if a State chooses to modify its program to adopt requirements equivalent to these provisions, it must adopt such requirements as a unit rather than by individual provision. In other words, all or none of these provisions must be included in a State's code. Subsequent



CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

changes to these provisions may or may not be optional for States that have adopted the original unit of provisions. An optional sign appears in front of the subsequent revision checklist number(s) if such subsequent changes are less stringent than or reduce the scope of the original requirements.

- 4 Revision Checklist 100 transferred the text of 265.222(a)&(b) as originally introduced by Checklist IV B to 265.221 and redesignated them as 265.221(f)&(g). Then, 265.222 was amended by Revision Checklist 100 by revising the section heading and adding paragraphs (a),(b)&(c).
- 5 Note that there are two sections designated as 265.223 in this consolidated checklist and in the CFR beginning with the July 1, 1992 edition. Revision Checklist 100 (57 FR 3462; January 29, 1992) added a new 265.223 ("Response actions") when 265.223 ("Containment systems") was already in the code as introduced by Checklist IV B. A technical correction will be published in the future to correct this error.
- 6 Revision Checklist 100 amended this section by revising the section heading and adding a new paragraph (b).
- 7 Revision Checklist 100 amended this section by redesignating the original paragraphs 265.228(b)(2)&(3) as 265.228(b)(3)&(4) and adding a new paragraph (b)(2). Note that there is an error in the Federal Register addressed by Revision Checklist 100; the internal reference "265.221(c)(2)(iv)" should be "264.221(c)(2)(iv)."
- 8 There is a printing error in the CFR beginning with the July 1, 1992 edition. Paragraph 265.229(b) should not contain a subparagraph (4). Refer to the July 1, 1991 CFR for the correct version of this paragraph.
- 9 This text was added by Rule 154.1 (59 FR 62896). See the prenote for this checklist regarding State adoption of Revision Checklist 154.
- 10 This section was completely revised by Revision Checklist 100, including the section heading.
- 11 Note that there is a typographical error in the Federal Register addressed by Revision Checklist 100 (57 FR 3462; January 29, 1992); "surface impoundment" should be "waste pile."
- 12 Paragraph 265.301(a) was originally introduced by Revision Checklist 17H and was completely revised by Revision Checklist 100.
- 13 Paragraph 265.301(c) was originally introduced by Revision Checklist 17H. It was revised and restructured to include subparagraphs (c)(1) and (c)(2) by Revision Checklist 100.
- 14 There are several errors in the Federal Register addressed by Revision Checklist 108 (57 FR 30657; July 10, 1992) at 265.301(d)(1). First, "such waste does not" should read "such wastes do not" and "261.4 of this chapter" should be "261.24 of this chapter" as found in the July 15, 1985 Federal Register at 50 FR 28750 (Revision Checklist 17 H) and in the 1992 CFR. Second, "Waste Number" should be "Waste Numbers".
- 15 Revision Checklist 100 transferred the text of 265.302(a),(b),(c)&(d) as originally introduced by Checklist IV B to 265.301 and redesignated them as 265.301(f),(g),(h)&(i). Section 265.302 was then amended by Revision Checklist 100 by revising the section heading and adding paragraphs (a),(b)&(c).
- 16 Note that there is a typographical error in the Federal Register addressed by Revision Checklist 100 (57 FR 3462; January 29, 1992); "surface impoundment" should be "landfill."

CONSOLIDATED CHECKLIST C6  
40 CFR Part 265, Subparts K-R, as of June 30, 1996 (cont'd)

- 17 Revision Checklist 100 amended this section by redesignating the original 265.310(b)(2),(3)&(4) as 265.310(b)(3),(4)&(5) and adding a new paragraph (b)(2).
- 18 Paragraphs 265.310(c)&(d) were removed by the final rule addressed by Revision Checklist 15; however, these removals were not included on Revision Checklist 15.
- 19 Revision Checklist 17 F made extensive changes to this section of code, including redesignating the original paragraphs 265.314(b)&(c) as 265.314(c)&(e) and adding a new paragraph 265.314(b).
- 20 This provision was originally introduced to the code by the April 30, 1985 rule addressed by Revision Checklist 16. The paragraph was inadvertently reserved by the July 15, 1985 rule addressed by Revision Checklist 17 F. Revision Checklist 25 corrected the July 15, 1985 language by removing the "reserved" reference to paragraph (d) so that the paragraph would remain as originally promulgated. The provision has been subsequently revised by Revision Checklist 126.
- 21 Revision Checklist 17 F (50 FR 28702; July 15, 1985) introduced the original 265.314(f), 265.314(f)(1) and 265.314(f)(2) into the code. Revision Checklist 118 (57 FR 54452; November 18, 1992) redesignated those provisions as 265.314(g), 265.314(g)(1), and 265.314(g)(2) and introduced a new 265.314(f) and subparagraphs.
- 22 Note that there is a typographical error in the November 18, 1992 Federal Register article (57 FR 54452, Revision Checklist 118); at 265.314(f)(1)(ii), "polysobutylene" should be "polyisobutylene." This error is reflected in the CFR beginning with the July 1, 1993, edition.
- 23 Revision Checklist 15 completely revised the regulations at 264.315.
- 24 Note that there is a typographical error in the November 18, 1992 Federal Register article (57 FR 54452, Revision Checklist 118); "container's" should be "containers,".
- 25 This provision is part of the optional requirements for the alternate treatment standards for lab packs under the Third Third Scheduled Waste Rule. If adopted, all of the requirements (i.e., 264.316(f), 265.316(f), 268.7(a)(7), 268.7(a)(8), 268.42(c), 268.42(c)(1)-(4), and Appendices IV and V to Part 268) related to these alternate treatment standards must be adopted.